



鴻元精密有限公司
FRONTec PRECISION CORP.

Tel: +886-4-7356202 Fax: +886 4-7356205
No. 156, Lane 459, Kan Chou Rd., Kan Ching Li,
Ho Mei Town, Chang Hua Hsien, Taiwan 50847
www.frontec-tw.com frontec.tw@gmail.com



frontec-tw.com


TubeleXeal FT-XT15 Tubeless tire repair set (Patent)

1. Handy & convenient using w/2 ends threading adapt alternately to middle capsule tube.
2. A scratch pin, a 1.5 mm sealant pin & 5 pcs-1.5mm x 5cm sealant cords all are loaded into the capsule.
3. Thread two pins eccentric oppositely to capsule tube for space saving & easy carriage.
4. (Retail package R available.)



CTX2-14 Dualenx chain tensioner

1. 0-26mm, 2 chain pitches adj. w/shorter end protruded.
2. In/out dual anti-threaded hex adj nut offers quicker fasten tension movement.
3. A fixed nut provides when tension adj. finished.
4. Axle hole dia. 10, 12, 14 are assignable.



ZRX-12x100B-SH



ZRX-12x142B-SH

ZRX-12x100B-SR



ZRX-12x142B-SR

ZRX-15x110B-RX



ZRX-15x142B-RX

ZRX-12x100B/142B-SH

1. A7075-T6 CNC thru. axle
2. Compatible w/SHIMANO
3. M12x P1.5 x100(125)-Front
M12xP1.5 x 142(166/170)-Rear

ZRX-12x100B/142B-SR

1. A7075-T6 CNC thru. Axle
2. Compatible w/SRAM
3. M12x P1.75 x142(172)-Rear
M12xP1.75 x148(180)-Rear

ZRX-12x100B/142B-RX

1. A7075-T6 CNC thru. Axle
2. Compatible w/RockShoX
3. M15x P1.5x100(146)
M15xP1.5x110(156)

All brands/dimensions/colors thru. Axle in custom order are available.

XSC-55DS BMX dual fasten seat clamp

1. Solid A6061-T6 brick NC housing.
2. 2 pairs of semicircle rods provide smoother & tighter fasten power.
3. Dia. w/28.6, 31.8 available
4. Seat clamp height: 30 mm



SC03-QR Self-center QR seat clamp

1. Solid A6061-T6 NC housing.
2. Dia. w/28.6,31.8,34.9 optional.
3. Patent ball nut w/smooth & tighter fasten power obtained.
4. Anod. color standard in matte silver/red/black, others upon request.



SC-05DH/SC-S05DH Dual rods seat clamp

1. A6061-T6 solid housing NC w/2x semicircle rods provides smoother & tighter tension when fastening.
2. Patent 2x semicircle rods obtain self-center adj. when fastening.
3. Dia. 28.6/31.8/34.9 available.
4. SC-S05DH w/side hollow slot on both lumber sides.



SC-09R RB Ultra light seat clamp

1. A6061-T6 solid NC housing w/5mm screw fastening.
2. Dia. 28.6/31.8/34.9 available.
3. Extreme lite weight: w/13.7g-Φ28.6, w/14.4g-Φ31.8, w/15.2g-Φ34.9



SC-11 Single rod seat clamp

4. A6061-T6 solid NC housing x 1 semicircle rod obtains self-center auto adj. when fastening.
5. Dia. 28.6/31.8/34.9 available.
6. Lite weight: w/15.7g-Φ28.6, w/16.1 g-Φ31.8, w/17.1g-Φ34.9



HQR-X (Series) Paired CNC alloy MTB QR

1. OLD: F:100/108, R:135/145 Standard, other specified available
2. Anod. color: matte black/-red/-silver Others upon request.



HQR-X1

HQR-X2

HQR-X3

HQR-X4



HQR-L3H/HQR-L3 Paired CNC alloy RB QR

1. OLD: F:100/108, R:130/140 Standard, other specified available
2. Anod. color: matte black/-red/-silver Others upon request.
3. L3H with hollow trim on level end.



HQR-L3H



HQR-L3




鴻元精密有限公司
FRONTec PRECISION CORP.

Tel: +886-4-7356202 Fax: +886 4-7356205
No. 156, Lane 459, Kan Chou Rd., Kan Ching Li,
Ho Mei Town, Chang Hua Hsien, Taiwan 50847
www.frontec-tw.com frontec.tw@gmail.com



frontec-tw.com

OLD specification Note



QR washer/nut w/steel
anti-loosen ring is available



QR axle w/special order
In Ti or phosphating are
available



◀ QR w/hanging card
for aft. Mkt available

▼ PE bag/card for aft mkt.



CTSB-14 Skateboard chain tensioner

1. Full CNC shaped w/slide rail provides smooth tension adj.
2. Laser itched scale for easier both sides comparison adj. evenly.
3. Patent bolt rotating structure offers no end bolt protruded.



XN-14FN1

Alloy A7075 BMX nut
w/rotative washer,
M14x1, other dimensions custom order available.



XS-14B

Alloy A7075 custom order bearing axle
M14x1 or other dimensions available



CNC axle for DH, fork, padel. Etc.

Alloy A7075 custom order.



CR-11T, CR-12T, CR-14T

Cassette freewheel fixing ring

1. Forged A6061-T6 NC finished, light & durable.
2. Anod. color: matte black/-red/-silver Others upon request.



Internal gear hub Shift

Years background of OEM supplier for diff. Brands.
Each spd. 3/6/7 gear shift or any other special
requirements R welcome to order.

